




REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



ELECTRICAL SPECIFICATIONS:

Frequency Range:	2.0 to 8.0 GHz
Coupling:	3.5±0.6dB
Frequency Sensitivity:	±0.4dB
Isolation Minimum:	15dB
Power / Peak:	50 Watts / 3 kW
VSWR Maximum:	1.50:1

MATERIAL:		MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A
		UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE:	90° HYBRID
DRAWN:	Pai boon Luekhamhan	DATE:	12-04-1997	PART NO.:	HB-16
APPROVED:	T. Nguyen	DATE:	12-04-1997	CAGE CODE:	OD2L5
PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		THIRD ANGLE PROJECTION 		SIZE:	A
				REV:	A
				DO NOT SCALE THE DRAWING	
				DWG NO.:	80694

